



A Campbell Brothers Limited Business

Fact Sheet

CW715

Closed System Treatment Corrosion Inhibitor

APPLICATION

CW 715 is a concentrated blend of corrosion inhibitors designed to control corrosion in both hot and chilled water closed systems. Complete corrosion protection is provided to ferrous and non-ferrous alloys by combining proven molybdate-amine chemistry with supplemental inhibitors. Sufficient yellow metal inhibitor is present to ensure superior protection of copper and copper alloys for an extended period of time. CW 715 is compatible with either ethylene or propylene glycol and can be used to re-inhibit glycol solutions or be used as the initial inhibitor package.

BENEFITS

- Superior corrosion protection
- Will not cause staining
- Easy to administer single product
- Low toxicity product
- Concentrated formula
- Compatible with glycol solutions

DOSAGE

The dosage of CW 715 will vary depending on system operating conditions and water quality. However, the recommended dosage is 3 litres per each 1000 litres of system volume. Your Cleantec Water Treatment representative can provide specific recommendations.

FEEDING

CW 715 may be fed without dilution directly to the system via a by-pass or pot-feeder. It may also be fed by a chemical pump to an area of good mixing within the system. No special materials of construction are required for the chemical feed system.

PRODUCT SPECIFICATIONS

- Specific Gravity: 1.10
- Odour: Amine
- Freezing Point: -5°C
- pH: 10.0 - 11.0
- Appearance: Pale yellow liquid
- Flash Point: >95°C

LIMITATIONS AND HANDLING

CW 715 is an alkaline solution. Avoid contact with skin, eyes or clothing. If skin comes into contact with CW 715, wash with water. If eyes are affected, flush with water for at least 15 minutes and get medical attention. For detailed information, refer to the Material Safety Data Sheet.



32 Perivale Street
Darra Queensland 4076 Australia
General Enquiries
Australia 1800 077 240
New Zealand (09) 579 6654

Emergency Number
Australia 1800 628 724
New Zealand Poisons Centre
(03) 474 7000
Web Site www.cleantec.com.au

Name: CW715

Issue No: 001

Date: 01-Sept-05



Quality
Endorsed
Company
AS/NZS
ISO 9001:2000
SAI GB04
Lic: QCC015